


## Product Information

### J1843/J1843-20 - XENO soft

Laundry softener



### Why to use it

- A pleasantly perfumed fabric conditioner which reduces static and leaves fabric feeling soft.

### Where to use it

Ideal for use on clothing and uniforms, table linen, bedlinen and other fabrics in hotels and restaurants, healthcare & educational establishments and other public amenities.

### How to use it

Use as directed via Auto Dosing System.

## Hazard Symbols

not applicable

## PPE Requirements



<b>XENO soft - LAUNDRY SOFTENER</b>
-------------------------------------

Revision Date 25<sup>th</sup> April 2013

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING
---

<b>Product Name</b>	XENO soft
<b>Synonyms, Trade Name</b>	FABSOFTE EXTRA PINK "New Fragrance"
<b>Application</b>	Laundry Conditioning

Supplier	S&E CareTrade Elmfield House Rathenraw Industrial Estate Antrim BT41 2SJ Tel: +44 28 9446 2233 msds@caretrade.co
----------	--

Emergency Contact Number	07788 309 810
--------------------------	---------------

MSDS No	C2/502 - J1843
---------	----------------

2. HAZARDS IDENTIFICATION
---------------------------

No Significant Hazard	
<b>Classification</b>	

3. COMPOSITION / INFORMATION ON INGREDIENTS
---

NAME	EC No.	CAS-No.	Content	Classification
Isopropanol (Propan-2-ol)	200-661-7	67-63-0	<5%	F;R11 Xi;R36 R67
Alkylester ammonium	295-344-3	91995-81-2	15-30%	Xi; R36
Fragrance	N/a	N/a	~1%	Xi;R43 R52/53

The Full Text for all R- Phrases Are Displayed in Section 16

4. FIRST-AID MEASURES
-----------------------

<b>Ingestion</b>	May cause irritation to mucous membranes DO NOT INDUCE VOMITING. Seek medical advice attention if irritation or symptoms persist
<b>Skin Contact</b>	May cause irritation to skin. Wash immediately with plenty of soap & water. Remove contaminated clothing. Seek medical attention if irritation persists
<b>Eye Contact</b>	May cause irritation to eyes. Rinse with plenty of water for 15 minutes holding eyelids open. Seek medical attention if irritation or symptoms persist.

5. FIRE-FIGHTING MEASURES
---------------------------

<b>Extinguishing Media Use:</b>	Extinguishing media appropriate to the surrounding fire conditions.
---------------------------------	---

<b>Unusual Fire &amp; Explosion Hazards</b>	None
<b>Specific Hazard</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>Protective Measures in Fire</b>	Wear suitable respiratory equipment when necessary.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental Precautions</b>	DO not allow product to enter drains. Prevent further spillage if safe.
<b>Spill Clean up Methods</b>	Absorb with inert, absorbent material. Transfer to suitable, labelled container for disposal. Clean spillage area thoroughly with plenty of water

## 7. HANDLING AND STORAGE

<b>Usage Precautions</b>	Avoid contact with eyes & skin. Adopt best Manual Handling consideration when handling, carrying and dispensing.
<b>Storage Precautions</b>	Keep in a cool, dry, well ventilated area. Keep container tightly closed. Store in correctly labelled containers

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NAME	Std	LT- ppm	LT – mg/m3	ST- ppm	ST – mg/m3	Notes
Isopropanol	WEL	400ppm	999 mg/m3	500ppm	1250mg/m3	

WEL= Workplace exposure limits

### Protective Equipment



Process conditions: provide eye wash station

Engineering Measures: Provide adequate ventilation

Eye Protection: Wear splash-proof eye goggles to prevent possible eye contact

Hand Protection: Use protective gloves made of neoprene, nitrile, rubber (natural latex)

Other Protection: Wear appropriate clothing to prevent skin contact

Hygiene Measures: Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any contaminated clothing

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Liquid
<b>Colour</b>	Pink
<b>Odour</b>	Pleasant
<b>Solubility</b>	In Water
<b>Boiling Point</b>	100°C
<b>Vapour Pressure</b>	

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions
<b>Conditions To Avoid</b>	Heat. Direct sunlight. Do Not allow to freeze

## 11. TOXICOLOGICAL INFORMATION

<b>Toxicological Information</b>	<b>No Significant Hazard</b>
----------------------------------	------------------------------

## 12. ECOLOGICAL INFORMATION

Do not flush into surface water

### 13. DISPOSAL CONSIDERATIONS

**General Information** | Disposal of in compliance with local and national regulations

### 14. TRANSPORT INFORMATION

The Product is not classified as dangerous for carriage

### 15. REGULATORY INFORMATION

<b>Labelling</b>	None			
<b>Contains</b>				
<b>Risk Phrases</b>				
<b>Safety Phrases</b>	S2 – Keep out of reach of children S24/25 – Avoid contact with skin and eyes S28 – After contact with skin wash immediately with plenty of soap suds			
<b>Statutory Instruments</b>	The Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (S.I. 2009 No. 716)			
<b>Approved Code of Practice</b>	Safety data sheets for substances and preparation. Classification and labeling of substances and Preparations Dangerous for supply			
<b>Guidance Notes</b>	CHIP for everyone HSG (108). Workplace Exposure Limits EH40			

### 16. OTHER INFORMATION

<b>REV. No. / REPL. SDS</b>	
<b>Generated</b>	24 <sup>th</sup> April 2013
<b>SDS No.</b>	C2/502 -J1843
<b>Safety Data Sheet Status</b>	
<b>Approved.</b>	25 <sup>th</sup> April 2013
<b>Signature</b>	
<b>Risk Phrases in Full</b>	R10 Flammable R11 Highly Flammable R36 Irritating to eyes R38 Irritating to skin R43 May cause sensitization by skin contact R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
<b>General Information</b>	EU Directives: Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 <sup>th</sup> December 2006 concerning the registration, evaluation, authorisation and restriction of chemicals (REACH), establishing a European Chemicals Agency, amending Directive 199/45/EC and repealing Council Regulation 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC including amendments.
<b>Notes</b>	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.